

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

| | |
|--|--|
| Facility's Name: Sun Moon | CHAPTER 100.1 |
| Address: 1020 Hala Street, Honolulu, Hawaii 96817 | Inspection Date: October 30, 2019 Annual |

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Expired food items (blocks of tofu, yogurt, and bottles of grape jelly) stored in the refrigerator.</p> | <p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-14 <u>Food sanitation.</u> (a) All food shall be procured, stored, prepared and served under sanitary conditions.</p> <p><u>FINDINGS</u> Expired food items (blocks of tofu, yogurt, and bottles of grape jelly) stored in the refrigerator.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Medications stored in an unsecured cart.</p> <p>Refrigerated medication (glycerin suppository and Tylenol suppository) stored in an unsecured container in refrigerator.</p> | <p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-15 <u>Medications.</u> (b) Drugs shall be stored under proper conditions of sanitation, temperature, light, moisture, ventilation, segregation, and security. Medications that require storage in a refrigerator shall be properly labeled and kept in a separate locked container.</p> <p><u>FINDINGS</u> Medications stored in an unsecured cart.</p> <p>Refrigerated medication (glycerin suppository and Tylenol suppository) stored in an unsecured container in refrigerator.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-17 <u>Records and reports.</u> (b)(3) During residence, records shall include:</p> <p>Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs;</p> <p><u>FINDINGS</u> Resident #1 – Progress notes do not include response to medications for the months of 12/2018, 1/2019, 4/2019, 5/2019, 6/2019, 7/2019, 8/2019, and 9/2019.</p> | <p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-17 <u>Records and reports.</u> (b)(3) During residence, records shall include:</p> <p>Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs;</p> <p><u>FINDINGS</u> Resident #1 – Progress notes do not include response to medications for the months of 12/2018, 1/2019, 4/2019, 5/2019, 6/2019, 7/2019, 8/2019, and 9/2019.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><u>FINDINGS</u> Fire drill performed on 3/12/19, was missing the time of completion.</p> | <p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(D) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>A drill shall be held to provide training for residents and personnel at various times of the day or night at least four times a year and at least three months from the previous drill, and the record shall contain the date, hour, personnel participating and description of drill, and the time taken to safely evacuate residents from the building. A copy of the fire drill procedure and results shall be submitted to the fire inspector or department upon request;</p> <p><u>FINDINGS</u> Fire drill performed on 3/12/19, was missing the time of completion.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-23 <u>Physical environment.</u> (o)(1)(D) Bedrooms:</p> <p>General conditions:</p> <p>Bedrooms shall not be used for recreation, cooking, dining, storage, bathrooms, laundries, foyers, corridors, lanais, and libraries;</p> <p><u>FINDINGS</u> Bedroom #2 and Bedroom #3 – Closets being used as storage by PCG.</p> | <p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-23 <u>Physical environment.</u> (o)(1)(D) Bedrooms:</p> <p>General conditions:</p> <p>Bedrooms shall not be used for recreation, cooking, dining, storage, bathrooms, laundries, foyers, corridors, lanais, and libraries;</p> <p><u>FINDINGS</u> Bedroom #2 and Bedroom #3 – Closets being used as storage by PCG.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #1 - Signaling device mounted on wall near foot of bed, behind curtain; inaccessible to resident.</p> | <p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|---|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #1 - Signaling device mounted on wall near foot of bed, behind curtain; inaccessible to resident.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-87 <u>Personal care services.</u> (a) The primary care giver shall provide daily personal care and specialized care to an expanded ARCH resident as indicated in the care plan. The care plan shall be developed as stipulated in section 11-100.1-2 and updated as changes occur in the expanded ARCH resident's care needs and required services or interventions.</p> <p><u>FINDINGS</u> Resident #1 - Fluid intake not being documented on intake log by PCG/SCG, per care plan directive.</p> | <p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-87 <u>Personal care services.</u> (a) The primary care giver shall provide daily personal care and specialized care to an expanded ARCH resident as indicated in the care plan. The care plan shall be developed as stipulated in section 11-100.1-2 and updated as changes occur in the expanded ARCH resident's care needs and required services or interventions.</p> <p><u>FINDINGS</u> Resident #1 - Fluid intake not being documented on intake log by PCG/SCG, per care plan directive.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-87 <u>Personal care services.</u> (c)(2) The primary care giver shall, in coordination with the case manager, make arrangements for each expanded ARCH resident to have:</p> <p>Pneumococcal and influenza vaccines and any necessary immunizations following the recommendations of the Advisory Committee of Immunization Practices (ACIP);</p> <p><u>FINDINGS</u> Resident #1 - Physician prescription for Flu vaccine provided but vaccine was not received.</p> | <p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> | |

| | RULES (CRITERIA) | PLAN OF CORRECTION | Completion Date |
|-------------------------------------|--|--|----------------------------|
| <input checked="" type="checkbox"/> | <p>§11-100.1-87 <u>Personal care services.</u> (c)(2) The primary care giver shall, in coordination with the case manager, make arrangements for each expanded ARCH resident to have:</p> <p>Pneumococcal and influenza vaccines and any necessary immunizations following the recommendations of the Advisory Committee of Immunization Practices (ACIP);</p> <p><u>FINDINGS</u> Resident #1 - Physician prescription for Flu vaccine provided but vaccine was not received.</p> | <p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> | |

Licensee's/Administrator's Signature: _____

Print Name: _____

Date: _____